



भारत सरकार  
Government of India  
विद्युत मंत्रालय  
Ministry of Power  
पूर्वी क्षेत्रीय विद्युत समिति

**Eastern Regional Power Committee**  
14, गोल्फ क्लब रोड, टॉलीगंज, कोलकाता-700033  
14 Golf Club Road, Tollygunj, Kolkata-700033



आई एस ओ : 9001-2000  
ISO: 9001-2000

Tel No.:033-24235199, 24235016 FAX No.:033-24221802, 24171358 Web: [www.eastrpc.org](http://www.eastrpc.org)

**NO. ERPC/SE (OPRN)/OPERATION/2010/**

**DATE: 01.07.2010**

**FAX MESSAGE NO.**

To,

As per list enclosed.

**Sub: 52<sup>nd</sup> Operation Coordination sub-Committee (OCC) meeting of ERPC**

Notice is hereby given that 52<sup>nd</sup> OCC meeting of ERPC will be held at ERPC, Kolkata on Friday, 16<sup>th</sup> July 2010 at 11: 00 hrs (.)

You are requested to kindly furnish your agenda points along with following information to ERPC Secretariat positively by 8<sup>th</sup> July 2010 (.)

- Details of Under Frequency Relay operation in the month of June'10(.)
- Loss of generation in MU suffered due to shortage of coal during June'10 '10 (.)
- Maximum and minimum voltages observed in important substations during June'10(.)
- Important operational events like commissioning of new transmission elements, generating units etc during June'10 (.)
- Programme of maintenance of transmission lines / Equipment (above 220kV) for June 10 (.)
- Any deviation in programme of maintenance of generating station in the month of August'10 from the programme finalized during LGBR 2010-11 along with reason (.)

Your participation in the meeting is highly solicited (.) Please confirm your participation in the meeting along with name and designation of the participants (.)

(A. K. Bandyopadhyaya)  
**Superintending Engineer (O)**

## **LIST OF ADDRESSES:**

1. CHIEF ENGINEER (TRANS., O&M), BSEB, PATNA, (FAX NO. 0612-2504557/2504937)
2. CHIEF ENGINEER, TRANSMISSION (O&M), JSEB, RANCHI (FAX NO.-0651-2490486/2490863)
3. CHIEF ENGINEER, TVNL, NEPAL HOUSE, ROOM NO. 018/2, DORANDA, RANCHI - 834102 (FAX NO. 06544-225414)
4. SR.GENERAL MANAGER (PS), OPTCL, BHUBANESWAR (FAX NO.0674-2542932)
5. SR. GENERAL MANAGER (PP), GRID CORPORATION OF ORISSA LTD., JANPATH, BHUBANESWAR (0674-2547180)
6. DIRECTOR (OPERATION), IB TPS, AT/PO BANHARPALI, JHARSUGUDA, (FAX NO. 06645-222225/222230)
7. GENERAL MANAGER, TTPS, TALCHER, (FAX NO. 06760-243212)
8. SR. GENERAL MANAGER (ELECTRICAL), OHPC LTD., BHUBANESWAR, (FAX NO.0674-2542102)
9. CHIEF ENGINEER, CLD, WBSETCL, HOWRAH, (FAX NO. 033-26886232)
10. CHIEF ENGINEER, CENTRAL PLANNING WING, WBSETCL, SALT LAKE (FAX NO.: 033-23591955)
11. CHIEF ENGINEER (COMMERCIAL), WBSEDCL, SALT LAKE, KOLKATA ( FAX:033-23598398)
12. DGM (ENGG.), WBPDC, KOLKATA-98 (FAX NO. 033-23393286)
13. GM, KOLAGHAT TPS, WBPDC, KOLAGHAT (FAX NO.03228231280)
14. DGM (OPERATION), DPL, DURGAPUR, (FAX NO. 0343-2555052)
15. VICE PRESIDENT (SYS OPERATION), CESC, CHOWRINGHEE SQUARE, KOLKATA (FAX NO.033-22129871)
16. SR. GENERAL SUPERINTENDENT (GENERATION), DPSC LIMITED, SALT LAKE, KOLKATA -91 (FAX NO.: 033-2357 3758/2452)
17. CHIEF ENGINEER, CLD, DVC, MAITHON, (FAX NO. 06540 -274838)
18. ADDL.CHIEF ENGINEER, SLDC, POWER DEPT., GOVT. OF SIKKIM, GANGTOK, (FAX NO. 03592-228186/201148/202284)
19. GENERAL MANAGER, ERLDC, KOLKATA, (FAX NO. 033-2423-5809)
20. GENERAL MANAGER, FSTPP, NTPC, FARAKKA, (FAX NO. 03512-224214/226085/226124)
21. GENERAL MANAGER , KhSTPP, NTPC, KAHALGAON (FAX NO.06429-226082)
22. GENERAL MANAGER, TSTPP, NTPC, TALCHER, (FAX NO. 06760-249053)
23. GENERAL MANAGER (OS), POWERGRID, ER-II, KOLKATA( Fax no: 033-23572827)
24. GENERAL MANAGER , POWERGRID, ER-I, PATNA, (FAX NO.0612-2531192)
25. MANAGING DIRECTOR, DRUK GREEN POWER CORPORATION, P.O. BOX -1351, THIMPU, BHUTAN –WITH THE REQUEST TO DEPUTE ONE ENGINEER EACH FROM CHUKHA & KURICHHU HYDRO POWER STATION IN THE MEETING (FAX NO 00975- 2336411)
26. MANAGING DIRECTOR, BHUTAN POWER CORPORATION, P.O.BOX-580, THIMPU, BHUTAN (FAX NO. 00975-2333578)
27. CHIEF ENGINEER (O&M), TALA H.E.PROJECT, BHUTAN (FAX NO. 009752/324803)
28. GENERAL MANAGER, TEESTA -V, H. E PROJECT NHPC, SINGTAM, EAST SIKKIM (FAX 03592 - 247377)
29. CHIEF ENGINEER, RANGIT H.E.PROJECT, NHPC, P.O. RANGIT NAGAR, SOUTH SIKKIM (FAX NO.03595-259253)
30. SENIOR VICE PRESIDENT, PTC LTD., NBCC TOWERS, 15-BHIKAJI KAMA PLACE, NEW DELHI- 110066 (FAX NO. 011-41659504)
31. GENERAL MANAGER (P&O), POWERLINKS TRANSMISSION LIMITED, VIDYUT NAGAR, SILIGURI, WEST BENGAL- 734015 (FAX NO.: 0353-2568856)
32. MEMBER SECRETARY, NERPC, SHILLONG (FAX NO. 0364 -2520034/2520030)
33. DEPUTY DIRECTOR, EASTERN RPSO, SALT LAKE, KOLKATA- (FAX NO:033-23217075)